

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	2	("0073359").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/05 10:26
L4	10	"073359"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/05 10:28
L5	39	"140423"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/05 10:28
L6	28	"130423"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/05 10:28
L8	3	("4881054").URPN.	USPAT	OR	OFF	2005/12/05 10:58
L9	14	("1825482"   "3203447"   "3323090"   "3435393"   "3533032"   "3571769"   "4560969"   "4682063"   "4881054").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/05 11:16
L10	195	body adj control adj module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/05 12:05
L11	2	10 same (relay relays) same (contact contacts)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/05 11:17
L12	95	"65685"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/05 12:06
L13	20	"065685"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/05 12:06

L14	2	65685/1995	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/05 12:10
L15	2	"6,677,840"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/05 12:41
L16	6	multi adj contact adj type adj relay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/12/05 12:53
L17	4	("3544930").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/05 12:53
L18	10	("3544930").URPN.	USPAT	OR	OFF	2005/12/05 13:46
L19	0	("hans.sauer.in.").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/05 13:46
L20	2	"2001185015"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/05 14:07
L21	2	("4,841,205").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/05 14:07
S1	0	(relay relays) same multi same electromagnetic same contact same load same double adj2 make same one adj2 make	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/21 18:00
S2	93	(relay relays) same multi same electromagnetic same contact same load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/21 18:03
S3	197	(relay relays) same multi same (magnetic or electromagnetic) same contact same load	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/21 18:04

S4	93	S2 same contact	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/21 18:05
S5	10	S4 same core	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/21 18:07
S6	194	Body adj control adj module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/21 18:08
S7	1914919	(magnetic or electromagnetic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/22 15:46
S8	98758	S7 same (permanent) adj magnet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/22 15:48
S9	15454	S8 same contact	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/22 15:48
S10	414	S9 same plurality same (stationary fixed) same (movable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/22 15:50
S11	29	S10 same (repulsive or attractive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/22 15:57
S12	18	S11 same (relay\$2 switch\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/22 15:53
S13	11	S12 same (control signal activate actuate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/22 15:52

S14	0	S13 same slide	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/22 15:52
S15	2	("5,216,396").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/22 16:00
S16	0	06-78370	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/22 16:00
S17	1	6-78370	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/22 16:00
S18	0	("6-78370").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/22 16:01
S19	0	("6-78370").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/22 16:02
S20	205	335/83	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/22 16:11
S21	353	335/80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/22 16:24
S22	231	335/133	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/22 16:24
S23	1011659	(magnet or electromagnetic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:07

S24	95706	S23 same (core)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:07
S25	7463	"3" same (e adj shaped)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:56
S26	72291	"4" same (current) same (voltage) same (load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:09
S27	122	S25 same (current) same (voltage) same (load)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:10
S28	2	S27 same (replusive or attractive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:10
S29	69	S25 same (replusive or attractive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:10
S30	8	S29 same (relay\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:11
S31	12973	(e adj shaped)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:17
S32	2630	S31 same ("2" or two) same (coil coils)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:18
S33	866	S32 same wound	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:19

S34	8	S33 same (replusive or attractive)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:20
S35	255	S33 same (control signal activate actuate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:21
S36	77	S35 same (relay\$2 switch\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:21
S37	33	S36 same (magnet or electrmagnetic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:25
S38	12868	(polarized) same (magnet or electromagnet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:26
S39	4159	S38 same contact	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:26
S40	888	S39 same core	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:26
S41	12	S40 same (e adj shaped)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:56
S42	1	10/751,026	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/23 09:32
S43	1005	361/160	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/23 09:54

S44	3805	S23 same coil adj current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/23 09:55
S45	665	S44 same core	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:56
S46	9	S45 same (e adj shaped)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:57
S47	1995	S23 same control adj (coil coils)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:58
S48	647	S47 same (wound or winding)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:58
S49	6	S48 same (e adj shaped)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 09:59
S50	2	S48 same (protect\$3) same (control\$4) same electric same (load loads)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 10:01
S51	626	S23 same (protect\$3) same (control\$4) same electric same (load loads)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 10:01
S52	383	S51 same contact	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 10:01
S53	95	S52 same core	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 10:05

S54	201	Body adj control adj module	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/23 10:09
S55	2	("6,677,840").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/23 10:10
S56	0	("6677840").URPN.	USPAT	OR	OFF	2005/11/23 10:11
S57	6	("3742405"   "4259557"   "4684910"   "4816794"   "4893048"   "6057749").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 10:11
S58	2	("5432655").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/23 11:21
S59	6	("3742405"   "4259557"   "4684910"   "4816794"   "4893048"   "6057749").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 11:21
S60	5	("3742405").URPN.	USPAT	OR	OFF	2005/11/23 11:22
S61	1428	(multi multiple) same (electromagnetic) same relay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/23 13:41
S62	2	("5,386,335").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/23 15:06
S63	2	("4,068,202").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/23 15:07
S64	2	("4,068,202").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 08:31
S65	15891	electromagnet same permanent adj magnet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 08:32

S66	115	S65 same (e adj shape\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 08:34
S67	4	S66 same (vertical) same (terminals)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 08:35
S68	1917102	(magnetic or electromagnetic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 08:34
S69	4291	S68 same (e adj shape\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 08:34
S70	69	S69 same (vertical) same (terminals)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 08:42
S71	95231	magnetic same permanent adj magnet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 08:42
S72	1	S71 same multi adj contact adj relay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 08:43
S73	14916	S71 same contact	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 08:44
S74	2918	S73 same core	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 08:44
S75	72	S74 same (e adj shape\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 08:51

S76	45179	activat\$3 same (coil coils)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 08:52
S77	19141	S76 same (current voltage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 08:52
S78	1774	S77 same core	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 08:53
S79	20	S78 same (e adj shape\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 08:55
S80	799	335/207	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 08:55
S81	448	335/207 (permanent same magnet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2005/11/29 08:56
S82	0	335/207 (permanent same magnet).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2005/11/29 08:56
S83	17586	(e adj shape\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 09:21
S84	2	S83 same (three adj vertical ) same terminals	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 09:22
S85	1905	double same make same type same relay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 09:25

S86	1	S85 same (e adj shape\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 09:28
S87	16665	control adj signal same (relay relays)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 09:29
S88	2310	S87 same plurality	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 09:30
S89	825822	("2" or two) same (coil coils)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 09:31
S90	79326	S89 same (relay relays)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 09:32
S91	191	S90 same (e adj shape\$3) same core	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 09:59
S92	304	361/71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 11:21
S93	6733	switch\$4 adj (linear slid\$4 excurs\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 11:23
S94	8714	switch\$4 adj (linear slid\$4 excurs\$ horizont\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/29 11:23
S95	857	S94 same (coil coils winding\$2 electromagnet\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/29 11:24

S96	501	S95 same (contact contacts terminal terminals)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/29 11:24
S97	390	S96 same (signal input control actuat\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/29 11:25
S98	122	S97 same (pm "permanent magnet" pole poles repuls\$5 attractive magnet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/29 11:41
S99	482	200/335	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 11:49
S100	400	361/139	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 11:49
S101	0	(coil coils winding\$2) (e adj shape\$3) (core) 361/139.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2005/11/29 11:50
S102	22	(coil coils winding\$2) 361/139.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	AND	OFF	2005/11/29 12:27
S103	1	10/760,764	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 14:22
S104	20946	multi same contact same type	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 14:23
S105	2176	multi same contact same type same relay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 14:23

S10 6	6	S105 same (e adj shape\$3) same core	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/11/29 14:25
S10 7	0	(("524895155749874540963542055 53803823434635943524044355292 43640184422001445949144726974 47910244801524495655452033345 43550461498546149274629883477 28084833284483550248412054896 12649104454937543497216652392 81526854453472505570255567765 65689397587249758924236023212 60378636064086616693662014816 21865262186526249420625247966 61320667971667347706747428684 4698).pn.") or (("450611948100614862182526881 85440084556989455896725689095 57573325927334625949563628674 87505351840504305004487504250 19956545737256062466067239642 07996469917479427045756424773 44758703843603933425299842622 77426221642728434277734429649 54323183433360543709614388581 43916204392023439937044127984 42273544465554463382454630045 50483456812945916624625082476 6356).pn.") or (("476820248035944807025485430 14879437488105448812534924344 49693074971398498062449980975 00489250087625178019518144351 84071520503452234465280434531 11705329526533527153368945347 16453632295371786537938353862 72540039854086795436899543705 95449208545364454670825490776 55085895521647554698855612435 57463255962535623186564703456 52822571523757217745727191574 8706).pn.").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/01 18:59

S10 8	223	((("5248951") or ("4506119") or ("4768202") or ("5574987") or ("4810061") or ("4803594") or ("4540963") or ("4862182") or ("4807025") or ("5420555") or ("5268818") or ("4854301") or ("3803823") or ("5440084") or ("4879437") or ("4346359") or ("5569894") or ("4881054") or ("4352404") or ("5589672") or ("4881253") or ("4355292") or ("5689095") or ("4924344") or ("4364018") or ("5757332") or ("4969307") or ("4422001") or ("5927334") or ("4971398") or ("4459491") or ("6259495") or ("4980624") or ("4472697") or ("6362867") or ("4998097") or ("4479102") or ("4875053") or ("5004892") or ("4480152") or ("5184050") or ("5008762") or ("4495655") or ("4305004") or ("5178019") or ("4520333") or ("4875042") or ("5181443") or ("4543550") or ("5019956") or ("5184071") or ("4614985") or ("5457372") or ("5205034") or ("4614927") or ("5606246") or ("5223446") or ("4629883") or ("6067239") or ("5280434") or ("4772808") or ("6420799") or ("5311170") or ("4833284") or ("6469917") or ("5329526") or ("4835502") or ("4794270") or ("5335271") or ("4841205") or ("4575642") or ("5336894") or ("4896126") or ("4773447") or ("5347164") or ("4910445") or ("5870384") or ("5363229") or ("4937543") or ("3603933") or ("5371786") or ("4972166") or ("4252998") or ("5379383") or ("5239281") or ("4262277") or ("5386272") or ("5268544") or ("4262216") or ("5400398") or ("5347250") or ("4272843") or ("5408679") or ("5570255") or ("4277734") or ("5436899") or ("5677656") or ("4296495") or ("5437059") or ("5689397") or ("4323183") or ("5449208") or ("5872497") or ("4333605") or ("5453644") or ("5892423") or ("4370961") or ("5467082")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/01 19:36
----------	-----	---	---	----	-----	------------------

S10 9	88	((("6023212") or ("4388581") or ("5490776") or ("6037863") or ("4391620") or ("5508589") or ("6064086") or ("4392023") or ("5521647") or ("6166936") or ("4399370") or ("5546988") or ("6201481") or ("4412798") or ("5561243") or ("6218652") or ("4422735") or ("5574632") or ("6218652") or ("4446555") or ("5596253") or ("6249420") or ("4463382") or ("5623186") or ("6252479") or ("4546300") or ("5647034") or ("6661320") or ("4550483") or ("5652822") or ("6679716") or ("4568129") or ("5715237") or ("6734770") or ("4591662") or ("5721774") or ("6747428") or ("4625082") or ("5727191") or ("6844698") or ("4766356") or ("5748706")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/01 19:37
----------	----	---	---	----	-----	------------------